

# Utah Department of Environmental Quality

## Division of Drinking Water

### Monitoring Schedule

Run Date:  
08/04/2011 01:00 pm

**PWS ID:** UTAH26046      **Name:** PIUTA MIA CAMP  
**Legal Contact:** CORP OF PRESIDING BISHOP- LDS CHL      **Rating:** Approved  
ROY BENSON MCDANIEL      **Rating Date:** 11/22/2010  
**Address:** 50 E NORTH TEMPLE ST, RM 1205      **Activity Status:** Active  
SALT LAKE CITY, UT 84150-6320  
**Phone Number:** 801-240-4656  
**City Served (Area):**  
**County:** WASATCH COUNTY

**System Type:** Non-community      **Last Inv Update:** 08/10/2010      **Avg Daily Prod:**  
**Activity Status Cd:** Active      **Last Snty Srv Dt:** 06/30/2010      **Total Dsgn Cap:**  
**Population:** 256      **Surveyor:** LEE RICHARD PETER!      **Total Emerg Cap:**  
**Oper Period:** 7/1 to 9/30

**Gal/Day**      **Gal/Min**

### Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
1	Routine	Quarterly	10/01/2010		7/1	9/30	COLIFORM (TCR)